

Characteristics:

Soft, raised and velvety texture and high density of fibres ensure maximum opacity and coverage. Delivered on a sticky carrier and perfectly suited for medium / large designs and logos. Washable up to 60°C.

Processing Instructions:

Temperature: 160°C
Time: 12-20 seconds
Pressure: medium
Remove carrier: cold

Cut setting*:

Offset: 0,550 mm
Pressure: 250 gt
Speed: 15-20 cm/sec
Plott: Cut in reverse (mirror image) with STAHL'S Flock blade

*These are only guidelines. Test cuts are necessary to ensure correct parameters.

Application Information:

Use on 100% cotton, cotton blends and 100% polyester*, acryl

*Always pre-test before heat application onto polyester as a bleeding of colours may occur.

Availability:

50 cm width, 25 m length